

The Journal of

Membrane Biology

An international journal

for studies on the structure, function and genesis
of biomembranes

Volume 106 1988

Editorial Board

W.R. Loewenstein, Miami, Editor-in-Chief

Q. Al-Awqati, Columbia

G. Blobel, Rockefeller

D. Branton, Harvard

P. Cuatrecasas, Glaxo

J.M. Diamond, California, L.A.

D. Engelman, Yale

S. Fleischer, Vanderbilt

J.G. Forte, California, Berkeley

G. Guidotti, Harvard

J. Handler, Johns Hopkins

D.A. Haydon, Cambridge

A. Helenius, Yale

L. Heppel, Cornell

W.L. Hubbell, California, L.A.

R.B. Kelly, California, S.F.

A. Klug, Cambridge

P. Läuger, Konstanz

S.E. Luria, MIT

E.A.C. MacRobbie, Cambridge

V.T. Marchesi, Yale

H.M. McConnell, Stanford

S. McLaughlin, SUNY, Stony Brook

C. Miller, Brandeis

H. Murer, Zurich

G.E. Palade, Yale

E. Racker, Cornell

H. Reuter, Bern

B. Sakmann, Max-Planck, Heidelberg

R.W. Schekman, California, Berkeley

S.G. Schultz, Texas

S.J. Singer, California, S.D.

C.L. Slayman, Yale

K.R. Spring, N.I.H.

C.F. Stevens, Yale

W. Stoeckenius, California, S.F.

D. Urry, Alabama

H.H. Ussing, Copenhagen

D.J. Fritts, Assistant to the Editor



Springer International

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in West Germany

© 1988 by Springer-Verlag New York Inc.



Author Index

| | |
|---|-----|
| Ahnen, D.J., <i>see</i> Molitoris, B.A., et al. | 233 |
| Anraku, Y., <i>see</i> Tanifuji, M., et al. | 47 |
| Becker, T.G., <i>see</i> Muallem, S., et al. | 57 |
| Bennekou, P.: Steady-State and Transient Membrane Potentials in Human Red Cells Determined by Protonophore-Mediated pH Changes | 41 |
| Burckhardt, G., <i>see</i> Lin, M.C., et al. | 1 |
| Canessa, M., <i>see</i> Wolff, D., et al. | 243 |
| Carlton, C.G., <i>see</i> Hale, C.C., et al. | 211 |
| Cecchi, X., <i>see</i> Wolff, D., et al. | 243 |
| Copper, K.E., Gates, P.Y., Eisenberg, R.S.: Diffusion Theory and Discrete Rate Constants in Ion Permeation (<i>topical review</i>) | 95 |
| Dahl, R., <i>see</i> Molitoris, B.A., et al. | 233 |
| Dial, E.J., Huang, J., O'Neil, R.G., Hills, B.A., Lichtenberger, L.M.: Surface Hydrophobicity and Water Transport of the Toad Urinary Bladder: Effects of Vasopressin | 119 |
| Eisenberg, R.S., <i>see</i> Copper, K.E., et al. | 95 |
| Essig, A., <i>see</i> Klemperer, G. | 107 |
| Essig, A., <i>see</i> Nagel, W., et al. | 13 |
| Friedrich, F., Paulmichl, M., Kolb, H.A., Lang, F.: Inward Rectifier K Channels in Renal Epithelioid Cells (MDCK) Activated by Serotonin | 149 |
| Frings, S., Purves, R.D., Macknight, A.D.C.: Single-Channel Recordings from the Apical Membrane of the Toad Urinary Bladder Epithelial Cell | 157 |
| Garcia-Diaz, J.F., <i>see</i> Nagel, W., et al. | 13 |
| Gates, P.Y., <i>see</i> Copper, K.E., et al. | 95 |
| Griff, E.R., <i>see</i> Schar Schmidt, B.F., et al. | 71 |
| Gutknecht, J.: Proton Conductance Caused by Long-Chain Fatty Acids in Phospholipid Bilayer Membranes | 83 |
| Hale, C.C., Kleiboeker, S.B., Carlton, C.G., Rovetto, M.J., Jung, C., Kim, H.D.: Evidence for High Molecular Weight Na-Ca Exchange in Cardiac Sarcolemmal Vesicles | 211 |
| Hills, B.A., <i>see</i> Dial, E.J., et al. | 119 |
| Hoilien, C.A., <i>see</i> Molitoris, B.A., et al. | 233 |
| Hori, H., <i>see</i> Takenaka, T., et al. | 141 |
| Horie, H., <i>see</i> Takenaka, T., et al. | 141 |
| Huang, J., <i>see</i> Dial, E.J., et al. | 119 |
| Jung, C., <i>see</i> Hale, C.C., et al. | 211 |
| Kasai, M., <i>see</i> Tanifuji, M., et al. | 47 |
| Kawakami, T., <i>see</i> Takenaka, T., et al. | 141 |
| Kim, H.D., <i>see</i> Hale, C.C., et al. | 211 |
| Kim, J., <i>see</i> Molitoris, B.A., et al. | 233 |
| Kleiboeker, S.B., <i>see</i> Hale, C.C., et al. | 211 |
| Klemperer, G., Essig, A.: Influence of Serosal Cl on Transport Properties and Cation Activities in Frog Skin | 107 |
| Kolb, H.A., <i>see</i> Friedrich, F., et al. | 149 |
| Kramer, W., <i>see</i> Lin, M.C., et al. | 1 |
| Kurtz, I.: Apical and Basolateral Na ⁺ /H ⁺ Exchange in the Rabbit Outer Medullary Thin Descending Limb of Henle: Role in Intracellular pH Regulation | 253 |
| Lang, F., <i>see</i> Friedrich, F., et al. | 149 |
| Lichtenberger, L.M., <i>see</i> Dial, E.J., et al. | 119 |
| Lin, M.C., Weinberg, S.L., Kramer, W., Burckhardt, G., Wilson, F.A.: Identification and Comparison of Bile Acid-Binding Polypeptides in Ileal Basolateral Membrane | 1 |
| Loewenstein, W.R., <i>see</i> Maldonado, P.E., et al. | 203 |
| Macknight, A.D.C., <i>see</i> Frings, S., et al. | 157 |
| Maldonado, P.E., Rose, B., Loewenstein, W.R.: Growth | |

| | |
|--|-----|
| Factors Modulate Junctional Cell-to-Cell Communication | 203 |
| Mir, M.A., <i>see</i> Spurlock, G., et al. | 219 |
| Molitoris, B.A., Hoilien, C.A., Dahl, R., Ahnen, D.J., Wilson, P.D., Kim, J.: Characterization of Ischemia-Induced Loss of Epithelial Polarity | 233 |
| Morgan, K., <i>see</i> Spurlock, G., et al. | 219 |
| Muallem, S., Pandol, S.J., Becker, T.G.: Calcium Mobilizing Hormones Activate the Plasma Membrane Ca ²⁺ Pump of Pancreatic Acinar Cells | 57 |
| Nagel, W., Garcia-Diaz, J.F., Essig, A.: Voltage Dependence of Cellular Current and Conductances in Frog Skin | 13 |
| Nagy, K.: Mechanism of Inactivation of Single Sodium Channels after Modification by Chloramine-T, Sea Anemone Toxin and Scorpion Toxin | 29 |
| O'Neil, R.G., <i>see</i> Dial, E.J., et al. | 119 |
| Pandol, S.J., <i>see</i> Muallem, S., et al. | 57 |
| Paulmichl, M., <i>see</i> Friedrich, F., et al. | 149 |
| Paxson, C.L., <i>see</i> Rakowski, R.F. | 173 |
| Purves, R.D., <i>see</i> Frings, S., et al. | 157 |
| Rakowski, R.F., Paxson, C.L.: Voltage Dependence of Na/K Pump Current in <i>Xenopus</i> Oocytes | 173 |
| Rose, B., <i>see</i> Maldonado, P.E., et al. | 203 |
| Rovetto, M.J., <i>see</i> Hale, C.C., et al. | 211 |
| Sato, M., <i>see</i> Tanifuji, M., et al. | 47 |
| Schar Schmidt, B.F., Griff, E.R., Steinberg, R.H.: Effect of Taurine on the Isolated Retinal Pigment Epithelium of the Frog: Electrophysiologic Evidence for Stimulation of an Apical, Electrogenic Na ⁺ -K ⁺ Pump | 71 |
| Shiina, T., Tazawa, M.: Ca ²⁺ -Dependent Cl ⁻ Efflux in Tonoplast-Free Cells of <i>Nitelopsis Obtusa</i> | 135 |
| Spalvins, A., <i>see</i> Wolff, D., et al. | 243 |
| Spurlock, G., Morgan, K., Mir, M.A.: Characterization of Na ⁺ Transport in Normal Human Fibroblasts and Neoplastic H.Ep.2 Cells and the Role of Inhibitor | 219 |
| Steinberg, R.H., <i>see</i> Schar Schmidt, B.F., et al. | 71 |
| Takenaka, T., Horie, H., Hori, H., Kawakami, T.: Effects of Arachidonic Acid and the Other Long-Chain Fatty Acids on the Membrane Currents in the Squid Giant Axon | 141 |
| Tanifuji, M., Sato, M., Wada, Y., Anraku, Y., Kasai, M.: Gating Behaviors of a Voltage-Dependent and Ca ²⁺ -Activated Cation Channel of Yeast Vacuolar Membrane Incorporated into Planar Lipid Bilayer | 47 |
| Tazawa, M., <i>see</i> Shiina, T. | 135 |
| Van der Molen, L.G., <i>see</i> Van Duijn, B., et al. | 123 |
| Van Duijn, B., Ypey, D.L., Van der Molen, L.G.: Electrophysiological Properties of <i>Dictyostelium</i> Derived from Membrane Potential Measurements with Microelectrodes | 123 |
| Wada, Y., <i>see</i> Tanifuji, M., et al. | 47 |
| Weinberg, S.L., <i>see</i> Lin, M.C., et al. | 1 |
| Wilson, F.A., <i>see</i> Lin, M.C., et al. | 1 |
| Wilson, P.D., <i>see</i> Molitoris, B.A., et al. | 233 |
| Wolff, D., Cecchi, X., Spalvins, A., Canessa, M.: Charybotoxin Blocks with High Affinity the Ca-Activated K ⁺ Channel of Hb A and Hb S Red Cells: Individual Differences in the Number of Channels | 243 |
| Wood, J.M.: Proline Porters Effect the Utilization of Proline as Nutrient or Osmoprotectant for Bacteria (<i>topical review</i>) | 183 |
| Ypey, D.L., <i>see</i> Van Duijn, B., et al. | 123 |
| Covered in <i>Current Contents</i> , <i>SCI</i> , <i>ASCA</i> and <i>ISI BIOMED</i> | |

NATO ASI Series

Series H: Cell Biology


Volume 19

G. Hertting, H.-C. Spatz, University of Freiburg, FRG (Eds.)

Modulation of Synaptic Transmission and Plasticity in Nervous Systems

1988. 128 figures. X, 457 pages. Hard cover DM 236,-. ISBN 3-540-18558-5

List of Contributors: P. R. Adams, C. Allgaier, R. Andrade, T. Antonelli, R. Anwyl, P. Århem, B. Bausenwein, L. Beani, C. Bianchi, T. V. P. Bliss, G. Bonanno, D. A. Brown, J. H. Byrne, B. A. Cuthbert, L. V. Dekker, J. Dudel, P. Dutar, M. L. Errington, A. Eskin, P. D. Evans, A. Ferrús, K. F. Fischbach, A. L. Frankhuysen, V. Gallo, F. Gaunitz, P. Gebicke-Härter, H. M. Gerschenfeld, C. Giovannini, W. H. Gispen, M. Göthert, P. N. E. De Graan, A. Habermeyer-Muth, C. Hammond, R. Harris-Warrick, F. M. J. Heemskerk, G. Hertting, H. Higashida, B. Jung, E. Kelly, H. Kilbinger, S. Llamazares, G. Levi, M. A. Lynch, D. V. Madison, R. C. Malenka, A. Manning, N. V. Marrion, G. Maura, J. Médioni, R. Menzel, B. Michelsen, H. Mitschulat, A. H. Mulder, E. Muscholl, S. R. Nahorski, R. A. Nicoll, R. A. North, A. B. Oestreicher, D. Paupardin-Tritsch, F. Pedata, G. Pepeu, A. Pittaluga, M. Raiteri, H. Reichert, S. Robb, P. Rüffer, R. Schmidt, A. N. M. Schoffeleer, K. P. Scholz, P. Schotman, L. H. Schrama, H. Schwörer, W. Seifert, G. Spalluto, H. C. Spatz, A. Stein, K. Starke, L. Stjärne, R. Suergiu, K.-D. Süß, M. Sugawa, E. Tanaka, S. Tanganelli, H. Terlau, C. Tomasini, T. Tully, M. Ulivi, W. C. Wittekind, R. Willmund, S. Wurster



Preparation used for behavioral analysis of long-term sensitization

Springer-Verlag
 Berlin Heidelberg New York
 London Paris Tokyo Hong Kong
 Heidelberger Platz 3, D-1000 Berlin 33 · 175 Fifth Ave.,
 New York, NY 10010, USA · 28, Lurke Street, Bedford
 MK40 3HU, England · 26, rue des Carmes, F-75005 Paris
 37-3, Hongo 3-chome, Bunkyo-ku, Tokyo 113, Japan
 Room 1603, Citicorp Centre, 18 Whitfield Road,
 Causeway Bay, Hong Kong

To understand how information is processed and stored by the nervous system, and in particular the human brain, has been a major challenge in science for centuries and will remain so for some time to come.

Not until recently did neurobiologists agree to seek plasticity of behavior primarily in the modulation of the properties of synapses between nerve cells. This must be understood within the context provided by a neural circuitry. Learning has become a topic of molecular biology. Three systems appear particularly promising for this approach: **Drosophila**, the marine snails **Aplysia** and **Hermisenda**, and the mammalian hippocampal tissue.

Springer



Instructions to Authors

General

1. Authors should submit **four complete copies** (the original and three copies) to the Editor-in-Chief. The original illustration material (original drawings, etc.) and three sets of copies should be submitted together with the manuscript. It is recommended that the authors suggest four to six names, including addresses and specific fields of interest, of possible referees for their paper.

2. Papers will be published in **English**. Because of the interdisciplinary nature of the journal, authors should strive to **avoid technical jargon** and to define specialized terminology.

3. Papers which are ready to go to the printers can be published within a **short period**.

Preparation of Manuscripts

4. Papers should be **typewritten**, double-spaced on one side of letter size paper preferably not larger than $8\frac{1}{2}'' \times 11\frac{3}{4}''$ and with a margin 2'' wide on the left. All pages should be numbered serially. References, Tables, footnotes and legends for illustrations should be typed (double-spaced) on separate pages. Manuscripts typed with a dot-matrix printer are not acceptable.

5. The **first page** should contain:

- a) the title
- b) the name(s) of the author(s)
- c) the name of the laboratory where the work was carried out
- d) a running title of not more than 40 characters including spaces
- e) footnotes to the title.

6. Papers should be preceded by a **summary** of not more than 225 words. The summary should be intelligible to the general reader without reference to the text. Abbreviations should be avoided in the summary.

7. The summary should be followed by about 6 **key words** that will identify the subjects under which the article can be indexed.

8. The **bibliography** must refer only to work cited in the text. References must be listed alphabetically at the end of the paper including full titles and with abbreviations according to the Bibliographic Guide for Editors & Authors.

Eigen, G.S. 1960. The kinetics of cation transport. *Proc. R. Soc. London* **138**:182-191

Gibbs, T., Charles, R.T. 1961. Enzymes in membranes. In: *The Molecular Structure of Membranes*. B.A. Selkirk, editor. pp. 53-60. Springer-Verlag, New York

Inclusive pagination, stating first and last page numbers of articles, must be used.

Citations in the text should be given in parentheses; e.g., (Huntley & Briarly, 1967), or (Carson, 1940; Hopkins, 1943), except when the author's name is part of a sentence; e.g., "Harding (1968) reported that . . .". When a paper with three authors is cited, all authors are named in the first citation, but subsequently only the first author is named; e.g., (Miller et al., 1963). When a paper with *more* than three authors is cited, only the first author is named; e.g., (Smith et al., 1987). Another form of citation uses numbers in square brackets referring to an alphabetically ordered bibliography list. Either form is acceptable when used consistently throughout the paper.

9. **Footnotes** should be kept to a minimum and numbered consecutively throughout the paper. Foot-

notes to the title or authors of the article are to be marked by asterisks and to be placed on the title page. Footnotes to formulae are to be marked by asterisks, too.

10. **Figures** must be separated from the text and numbered. Original drawings and graphs should be made in India ink on white bristol board. Clean glossy prints of these, shot in sharp focus to final size (50%) are preferred. Figures should be prepared to fit one column (8.1 cm) or, on rare occasions, two columns (16.9 cm), after a reduction to 50%. Lettering, thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas should be large enough so as to be legible after reduction. Final size of letters should be: 2 mm for capital letters and numbers; 1.6 mm for lower case letters. If the size of the lettering is inadequate for reduction to 50%, figures will be returned to the authors, causing considerable delay.

The publisher reserves the right to reduce or enlarge illustrations.

Illustrations requiring reproduction as half-tone plates should be kept to a minimum. Photographs should be clean glossy prints in sharp focus and as rich in contrast as possible. They should be trimmed at precise right angles. Scales should be given.

11. Typewritten **mathematical equations** should be styled so as to avoid misinterpretation by the printer.

All letters contained in formulae as well as single letters in the text are automatically set in italics

and therefore require no underlining. Hence, abbreviations that appear in formulae and are to be set in Roman type (the type normally used for the text) should be specially marked by underlining in yellow, if possible.

It will be helpful to the printer if **Greek characters are underlined in red and Script in green**. Small letters should then be underlined once and capital letters twice; this applies also to Latin letters in formulae (in pencil). Boldface type (heavy type) should be marked by wavy underlining.

Subscripts and superscripts should be clarified by caret and inverted caret marking I^2 , I_2 ; a subscript to a subscript, by I_{23} .

Obscure primes and dots must be called to the attention of the printer. Mark very clearly: number 1 and letter *l*; zero and letter, *O*, *o*; *e* and *c*; *e* and *l*; *n*, *u* and *v*; primes and apostrophes. Use fractional exponents instead of root signs and the solidus (/) for fractions wherever their use will save vertical space, exp () notation when the exponent is complicated.

All equations must be numbered sequentially in arabic numerals in parentheses on the right hand side of the page.

12. **Symbols and abbreviations** for units of measurements should follow the CBE Style Manual (5th ed. rev.) (Council of Biology Editors, Inc., 9650 Rockville Pike, Bethesda, MD 20814).